

Tasks Completed During Reporting Period

The following activities associated with the RFI and IM work at the subject facility were conducted between February 1-28, 2017.

- Maintained operation of the ICM system and conducted performance monitoring, including effluent sampling for VOC analysis, quarterly water level measurements, and daily system flow rate measurements.
- Began installation of new off-site bedrock wells on February 13, 2017.
- Submittal of the November 2016 1,4-dioxane sampling results for select groundwater and nine residential wells on February 13, 2017.
- Submittal of the November 2016 residential well sampling results along with the Project Fact Sheet to property owners on February 20, 2017.
- Submittal of the November 2016 off-site monitoring well results letters to property owners on February 21, 2017.
- Conducted the February 2016 quarterly groundwater monitoring event during the week of February 27-March 3, 2017.
- Submittal of the *Q4 2016 – Interim Measures Corrective Monitoring Report* on February 28, 2017.

Difficulties Encountered During Reporting Period

No difficulties were encountered during this reporting period.

Summary of Contacts with Local (Community or Public) or Regulatory Groups

Owens Corning has had ongoing correspondence with EPA during this reporting period related to planning for the installation of three new bedrock groundwater monitoring wells. No additional interactions with the public or with EPA/DHEC occurred during this reporting period.

Projected Work for Next Reporting Period

Owens Corning's plans for the next reporting period of March 1-31, 2017 include:

- Continue operation of the ICM system and conduct required quarterly performance monitoring.
- Continue installation of the new off-site bedrock wells.
- Preparation of the *Q1 2017 – Interim Measures Corrective Monitoring Report* to be submitted in April 2017, pending receipt of the quarterly data.
- Preparation and submittal of the February 2017 off-site monitoring well results letters to property owners, pending receipt of the analytical data